



**BS EN 14351-1:2006+A1:2010**

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT  
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

**DECLARATION OF PERFORMANCE**

THIS IS TO CERTIFY THAT

**CRITTALL WINDOWS LIMITED**

OF

**FRANCIS HOUSE  
FREEBOURNES ROAD  
WITHAM, ESSEX  
CM8 3UN**

HAS CONFORMED WITH BS EN 14351-1:2006+A1:2010 ANNEX ZA

FOR

WINDOWS AND DOORS INTENDED TO BE USED IN DOMESTIC AND  
COMMERCIAL LOCATIONS

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY  
PRODUCTION CONTROL COMPLYING WITH  
BS EN 14351-1:2006+A1:2010 ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT  
AND PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS  
INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS:

**DANGEROUS SUBSTANCES - CLAUSE 4.6  
LOAD BEARING CAPACITY OF SAFETY DEVICES - CLAUSE 4.8  
ABILITY TO RELEASE - CLAUSE 4.10  
THERMAL TRANSMITTANCE - CLAUSE 4.12**

Signed .....

Date ..... 19th March 2025

Technical Manager

Position .....



## CRITTALL WINDOWS LIMITED

FRANCIS HOUSE  
FREEBOURNES ROAD  
WITHAM, ESSEX  
CM8 3UN

13


EN 14351-1:2006+A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT  
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE  
CHARACTERISTICS

**SYSTEM: Steel Windows and Doors with No Thermal Break  
Not on Escape Routes**

Characteristic	Declared Value
Dangerous Substances	None
Load Bearing Capacity of Safety Devices	Passed
Ability to Release	npd
Thermal Transmittance	3.1 W/m <sup>2</sup> K
Resistance to Wind Load	npd
Resistance to Snow and Permanent Load	npd
Reaction to Fire	npd
External Fire Performance	npd
Watertightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	npd

**This declaration relates to a worse-case scenario and as such all our  
products will have a performance equal to or better than that quoted**

Signed 

Date 19th March 2025

Technical Manager

Position



## CRITTALL WINDOWS LIMITED

FRANCIS HOUSE  
FREEBOURNES ROAD  
WITHAM, ESSEX  
CM8 3UN

20

EN 14351-1:2006+A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT  
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE  
CHARACTERISTICS

**SYSTEM: Steel Windows and Doors with Thermal Break  
Not on Escape Routes**

Characteristic	Declared Value
Dangerous Substances	None
Load Bearing Capacity of Safety Devices	Passed
Ability to Release	npd
Thermal Transmittance	2.5 W/m <sup>2</sup> K
Resistance to Wind Load	npd
Resistance to Snow and Permanent Load	npd
Reaction to Fire	npd
External Fire Performance	npd
Watertightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	npd

**This declaration relates to a worse-case scenario and as such all our products will have a performance equal to or better than that quoted**

Signed 

19th March 2025  
Date .....

Technical Manager

Position .....